
Supplied Advert Specifications 2022


We want your adverts to look as good as possible, so please check the following specs and contact us ahead of publication deadlines if you have any queries:


industry@eacts.co.uk



Full page advert







Recommended text area 267mm x 390mm





Artwork Requirements

- Please add 3mm bleed on all sides
- NO crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded



Half page advert








Artwork Requirements

- Please add 3mm bleed on all sides
- NO crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded



Quarter page advert









Artwork Requirements

- Please add 3mm bleed on all sides
- NO crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded



Banner advert








Artwork Requirements

- Please add 3mm bleed on all sides
- NO crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded



Island advert







Artwork Requirements

- Please add 3mm bleed on all sides
- NO crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded

