
Supplied Advert Specifications 2023

We want your adverts to look as good as possible, so please check the following specs and contact us ahead of publication deadlines if you have any queries:

industry@eacts.co.uk



Full page advert



Finished Page Size - 297mm x 420mm

Finished advert artwork size 277mm x 400mm

3mm bleed on all sides


Recommended text area 267mm x 390mm



Artwork Requirements

- Please add 3mm bleed on all sides
- <u>NO</u> crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded

Half page advert



Finished Page Size - 297mm x 420mm

Finished advert artwork size 277mm x 200mm

- 3mm bleed on all sides
- Recommended text area 267mm x 190mm




Artwork Requirements

- Please add 3mm bleed on all sides
- <u>NO</u> crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded



Quarter page advert



Finished Page Size - 297mm x 420mm

Finished advert artwork size 136mm x 197mm

- 3mm bleed on all sides
- Recommended text area 126mm x 187mm



Artwork Requirements

- Please add 3mm bleed on all sides
- <u>NO</u> crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded

Banner advert



Finished Page Size - 297mm x 420mm

Finished advert artwork size 277mm x 83mm

- 3mm bleed on all sides
- Recommended text area 267mm x 73mm




Artwork Requirements

- Please add 3mm bleed on all sides
- <u>NO</u> crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded



Island advert



Finished Page Size - 297mm x 420mm

Finished advert artwork size 199mm x 275mm

- 3mm bleed on all sides
- Recommended text area 189mm x 265mm



Artwork Requirements

- Please add 3mm bleed on all sides
- NO crop or printers marks
- All transparency and layers flattened
- CMYK Colour only (No spot colour or RGB)
- Magazine image resolution 300dpi
- All fonts embedded

